








PREFILTER ELEMENTS

SB



Technical Data

-  SB: Stainless Steel
-  SB: 1, 5 or 25 μm
-  99%
-  +120°C (SB)
-  Max. 2 bar @ 20°C
-  Aluminium end caps
-  Perbunan Gaskets

Ultrafilter offers filter elements for most compressed air applications. These high quality filter elements are made with the finest pleating technology and aluminum endcaps. Unique to the industry with their extremely low differential pressure.

The SB is a prefilter, developed for retention of particles and liquids out of compressed air. The sintered stainless steel filtration material assures high thermal durability.

Ultrafilter offers filter elements for most compressed air applications. These high quality filter elements are made with the finest pleating technology and aluminum endcaps. Unique to the industry with their extremely low differential pressure.

RECOMMENDED FILTER HOUSINGS



Aluminium Housing
AG



Steel Housing
SG




High Pressure Housing
HD

ALTERNATIVE ELEMENTS

Our series of cross over elements makes it possible to use our high quality filters in filter housings from different manufactures. We are mostly using the same pleating mixed with nano technology in all the cross over elements we offer.



Domnick Hunter
Evolution



Domnick Hunter
Oil-X



Hiross



Atlas Copco



Zander



Hankison



Deltech



Walker



Donaldson



Kaeser




Stenhøj



BEKO

BY REQUEST ALSO

Compair
Ceccato
Ingersoll Rand
ALUP
ALMiG
Pneumatech
Chicago Pneumatic
MARK
BOGE



PLEATED MEDIA
TECHNOLOGY

ALTERNATIVE ELEMENTS



	Prefilter	Prefilter	Microfilter	Submicrofilter	Activated Carbon
ISO Class (8573-2010)	6	3	2	1	1*
Ultrafilter	PE	FF	MF	SMF	AK
Domnick Hunter Evolution	-	AR, AO	AAR	AA	ACS
Domnick Hunter Oil-X	-	AO	AA	AX	AC, ACS
Hiross	Q	P	S	-	C
Atlas Copco	-	DD	PD	-	QD
Zander	V	Z	Y	X	A
Hankison	E9	E7	E5	E3	E1
Donaldson	PE	FF	MF	SMF	AK
Deltech	-	DFD	PFD	HFD	CFD
Walker	X25, X5	X1	XA	-	AC
CompAir	-	B+E	C+F	-	D
Ceccato	-	P	G	C	V
Kaeser	E-B	E-C	E-E	E-F	E-G
Stenhøj	PE	FF	MF	SMF	AK
ALUP	-	P	G	C	V
ALMiG	AFP	AFM	AFS	-	AFC
Pneumatech	-	P	G	C	V
Chicago Pneumatic	-	P	G	C	V
BEKO	G	F	S	-	A
MARK	-	P	G	C	V
BOGE	V	-	FP	-	A

Type	Particle Filtration rate	Efficiency	Residual oil content	Max. differential pressure
PE	25 µm	99%	N/A	2 bar at 20°C
SB	25 µm	99%	N/A	2 bar at 20°C
FF	0,01 µm	99,999%	0,1 mg/m ³	5 bar at 20°C
MF	0,01 µm	99,99998%	0,03 mg/m ³	5 bar at 20°C
SMF	0,01 µm	99,99999%	<0,01 mg/m ³	5 bar at 20°C
AK	Activated Carbon	N/A	0,003 mg/m ³	2 bar at 20°C



ULTRAFILTER

THE FILTRATION MANUFACTURER

THE SCANDINAVIAN FILTRATION PARTNER

SHOP ONLINE

At www.ultra-filter.com you will find a wide selection of filtration products ready for you to order.



www.ultra-filter.com

ABOUT US

Ultrafilter Scandinavia offers a wide selection of filtration products for compressed air, liquids and gas. We have stock in Denmark and from here we distribute all of our products to Scandinavia and the Baltic countries.

Ultrafilter Scandinavia is a part of the Ultrafilter group. Our production facility is in Germany and we have several subsidiaries in Europe and the United States.

You can buy our products on local websites. Information about our products as well as brochures and manuals can be found on our website (www.ultra-filter.com).

We can adapt all of our filtration products to your needs, and we offer visits from our consultants in order to find the right solution for you. We also offer on going service on our products once they are installed.

FILTRATION OF



ULTRAFILTER SKANDINAVIEN APS

Sunekær 1
5471 Søndersø
Denmark

+45 82 30 30 20
info@ultra-filter.com
www.ultra-filter.com