



P-PE PROCES FILTER

WWW.ULTRA-FILTER.COM

Proces filter P-PE





P-PE High temperature Process filter in Stainless steel SS304 end caps, Borosilicate/polyester material and Silicone o-rings (others available).

Materials and Specifications				
Filter media	Borosilicate, polyester			
End cap	stainless steel 304			
Cage	mesh			
Seal	Silicone			
Efficiency	99,999%			
Max. operating temp.	200°C			
Max. operating pressure differential				

Technical Data
Borosilicate, polyester
μ 0,2 μm
99,999%
[ʃ°с] -20°С to 200°С
<u> </u>
Silicone (others available)

Dimensions (stainless steel endcaps)							
Element	Α	В	С		D		
03/10	76	12	31	3/4"	42		
04/10	104	12	31	3/4"	42		
04/20	104	14	38,5	1"	52		
05/20	128	14	38,5	1"	52		
05/25	128	14	38,5	1"	62		
07/25	180	14	38,5	1"	62		
05/30	128	16	63	2"	86		
07/30	180	16	63	2"	86		
10/30	254	16	63	2"	86		
15/30	381	16	63	2"	86		
20/30	508	16	63	2"	86		
30/30	762	16	63	2"	86		
30/50	762	16	91	3"	140		



SHOP ONLINE

At www.ultra-filter.com you will find a wide selection of filtration products ready for you to order.



www.ultra-filter.com

ABOUT US

Ultrafilter Scandinavia offers a wide selection of filtration products for compressed air, liquids and gas. We have stock in Denmark and from here we distribute all of our products to Scandinavia and the Baltic countries.

Ultrafilter Scandinavia is a part of the Ultrafilter group. Our production facility is in Germany and we have several subsidiaries in Europe and the United States.

You can buy our products on local websites. Information about our products as well as brochures and manuals can be found on our website (www.ultra-filter.com).

We can adapt all of our filtration products to your needs, and we offer visits from our consultants in order to find the right solution for you. We also offer on going service on our products once they are installed.











ULTRAFILTER SKANDINAVIEN APS